Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S69	121	709/223-226.ccls. and 715/736. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:20
S70	40	709/223-226.ccls. and 715/736. ccls. and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:32
S71	4	(path\$1.ti. path\$1.ab.) and 715/736.ccls. and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:30
S72	5	(path\$1.ti. path\$1.ab. circuit\$2.ab. circuit\$1.ti.) and 715/736.ccls. and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:34
S73	60	709/223-226.ccls. and 715/734-737.ccls. and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:03
S74	20	709/223-226.ccls. and 715/734-737.ccls. and @ad<"20000331" not S70	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:32
S75	3	(customer\$1 client\$1) near10 (path\$1 circuit\$2) and 715/736. ccls. and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:37
S76	8	(customer\$1 client\$1) near10 (path\$1 circuit\$2) and 715/734-737.ccls. and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/09/22 10:38
S77	0	(show\$4 display\$4) near10 (customer\$1 client\$1) near10 (path\$1 circuit\$2) and 715/734-737.ccls. and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:39

				T		
578	747	(show\$4 display\$4) near10 (customer\$1 client\$1) near10 (path\$1 circuit\$2) and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:39
S79	106	(show\$4 display\$4) near10 (customer\$1 client\$1) near10 (path\$1 circuit\$2) and @ad<"20000331" and "709"/\$. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:39
S80	29	(show\$4 display\$4) near10 (customer\$1 client\$1) near10 (path\$1 circuit\$2) and @ad<"20000331" and "709"/223-226.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 10:39
S81	16	("5226120" "5261044" "5353399" "5471399" "5500934" "5606664" "5751965" "5768552" "5805166" "6031528" "6219053" "6225999" "6239800" "6496209" "6535227" "6664987").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/22 10:46
S82	11	("5805166").URPN.	USPAT	OR	OFF	2005/09/22 10:56
S83	12	("6031528").URPN.	USPAT	OR	OFF	2005/09/22 11:03
S84	19	(709/223-226.ccls. 715/734-737. ccls.) and @ad<"20000331" and traceroute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:15
S85	13	gui and @ad<"20000331" and traceroute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:15
S86	5	@ad<"20000331" and traceroute same display\$4 same traceroute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:17
S87	2	@ad<"20000331" and traceroute same icon\$5 same traceroute	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:20
S88	1	@ad<"20000331" and traceroute same display\$4 near10 graphic\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:21
S89	33	("5864666").URPN.	USPAT	OR	OFF	2005/09/22 11:28

		W 7.00 (0)				
S90	5	"6549940"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:30
S91	29	"6006217"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 11:30
<u>\$</u> 92	20	("5261044" "5295244" "5410692" "5504921" "5541928" "5600643" "5644736" "5671408" "5687212" "5714971" "5790633" "5790634" "5813014" "5832503" "5848410" "5913215" "5924090" "5953718" "6006217" "6028602").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/22 11:45
S93	36	("5687212").URPN.	USPAT	OR	OFF	2005/09/22 11:52
S94	5	("6532241").URPN.	USPAT	OR	OFF	2005/09/22 12:57
S95	30	("4644532" "4827411" "4864559" "4893307" "5021949" "5027350" "5142622" "5361256" "5371852" "5394402" "5473608" "5491796" "5511168" "5517622" "5612959" "5617421" "5675740" "5678006" "5684800" "5684988" "5694595" "5740171" "5742604" "5752003" "5764636" "5796732" "5802053" "5802313" "5835728" "5845081").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/09/22 12:59
S96	34	(GUI user adj interfac\$4) near10 circuit\$4 near10 path\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 13:02
S97	4	"6714217 "	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:43
S98	0	715/736.ccls. and display\$4 near10 actual\$4 near10 network\$4 near10 (component\$4 element\$1) near10 session\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:44

	1					· · · · · · · · · · · · · · · · · · ·
S99	0	715/736.ccls. and display\$4 near10 network\$4 near10 (component\$4 element\$1) near10 session\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:44
S10 0	0	715/734-737.ccls. and display\$4 near10 network\$4 near10 (component\$4 element\$1) near10 session\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:44
S10 1	4	709/220-226.ccls. and display\$4 near10 network\$4 near10 (component\$4 element\$1) near10 session\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:50
S10 2	3	709/220-226.ccls. and display\$4 near10 network\$4 near10 (component\$4 element\$1) near10 circuit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:52
S10 3	4	"715"/\$.ccls. and manag\$4 near10 network\$4 near10 (component\$4 element\$1) near10 circuit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:54
S10 4	4	"379"/\$.ccls. and manag\$4 near10 network\$4 near10 (component\$4 element\$1) near10 circuit\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:55
S10 5	68	"379"/\$.ccls. and manag\$4 near10 (client\$1 customer\$1) near10 (component\$4 element\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 14:55
S10 6	33	"379"/\$.ccls. and manag\$4 near10 (client\$1 customer\$1) near10 (component\$4 element\$1) and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 15:06
S10 7		"379"/\$.ccls. and manag\$4 near10 (client\$1 customer\$1 subscriber\$1) near10 (component\$4 element\$1) and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 15:13
S10 8	2	"379"/\$.ccls. and manag\$4 near10 (client\$1 customer\$1 subscriber\$1) near10 (component\$4 element\$1) same (user adj interface\$1 GUI) and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 15:28

S10	2	"379"/\$.ccls. and manag\$4 near10	US-PGPUB;	OR	OFF	2005/09/22 15:12
9	_	(client\$1 customer\$1 subscriber\$1) near10 (component\$4 element\$1 circuit\$4) same (user adj interface\$1 GUI) and @ad<"20000331"	USPAT; EPO; JPO; DERWENT; IBM_TDB			, , , , , , , , , , , , , , , , , , , ,
S11 0	1	("6512824").URPN.	USPAT	OR	OFF	2005/09/22 15:16
S11 1	66	manag\$4 near10 (client\$1 customer\$1 subscriber\$1) near10 (component\$4 element\$1) same (user adj interface\$1 GUI) and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 15:34
S11 2	7	customer near3 service\$4 and (user adj interface\$1 GUI) near10 (path\$1 circuit\$4) near10 (element\$4 component\$4)and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 15:41
S11 3	75	circuit\$4 near5 path\$4 same (GUI user adj interface\$1) and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 16:03
S11 4	16	(client\$1 user\$1 subscriber\$1 customer\$1) near10 circuit\$4 near5 virtual same (GUI user adj interface\$1) and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/09/22 16:06
S11 5	2852	(client\$1 user\$1 subscriber\$1 customer\$1) near10 database\$1 same component\$4 and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2005/09/22 16:07
S11 6	212	(client\$1 user\$1 subscriber\$1 customer\$1) near10 topolog\$6 same (path\$4 circuit\$4) and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 16:07
S11 7	142	(client\$1 user\$1 subscriber\$1 customer\$1) near10 topolog\$6 same (path\$4) and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 16:07
S11 8	50	(client\$1 user\$1 subscriber\$1 customer\$1) near10 topolog\$6 near10 (path\$4) and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 16:09

			·			
S11 9	1	(client\$1 user\$1 subscriber\$1 customer\$1) near10 topolog\$6 near10 (path\$4) same (GUI user adj interface\$1)and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 16:08
S12 0	13	(client\$1 user\$1 subscriber\$1 customer\$1) near10 topolog\$6 near10 (component\$4 element\$4) same (user adj interface\$1 GUI) and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/22 16:09
S12 1	106	"379"/\$.CCLS. AND 709/223-226. CCLS. and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:06
S12 2	219	"379".clas. and "715".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:06
S12 3	169	"379".clas. and "715".clas. and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:07
S12 4	17	"379".clas. and "715".clas. and @ad<"20000331" and customer near10 record\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:07
S12 5	21	"379".clas. and "715".clas. and @ad<"20000331" and customer\$1 near10 record\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:15
S12 6	. 39	"379".clas. and "715".clas. and @ad<"20000331" and "709".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:15
S12 7	398	709/223-224.ccls. and "715".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:16
S12 8	118	709/223-224.ccls. and "715"/736. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:17

S12 9	38	709/223-224.ccls. and "715"/736. ccls. and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:18
S13 0	0	709/223-224.ccls. and "715"/736. ccls. and @ad<"20000331" and customer\$4 near10 record\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:18
S13	16	709/223-224.ccls. and "715"/736. ccls. and @ad<"20000331" and path\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:23
S13 2	7718	monitor\$4 near10 (subscriber\$1 user\$1 customer\$4) near10 (path\$1 network\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:23
S13 3	5	"6549940"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:30
S13 4	19935	circuit\$4 near10 path\$1 near10 (data information status\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:31
S13 5	529	circuit\$4 near10 path\$1 near10 (data information status\$4) same manag\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:31
S13 6	141	circuit\$4 near10 path\$1 near10 (data information status\$4) same manag\$6 same network\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:31
S13 7	55	circuit\$4 near10 path\$1 near10 (data information status\$4) same manag\$6 same (customer\$4 user\$1 client\$4 subscriber\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:34
S13 8	1157	circuit\$4 near10 path\$1 near10 (record\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:31

	·					
S13 9	1	S137 and S138	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 16:32
S14 0	33	circuit\$4 near10 path\$1 near10 (data information status\$4) same manag\$6 same (customer\$4 user\$1 client\$4 subscriber\$1) and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:04
S14 1		("5276789" "5394522" "5671355" "5684967" "5687315" "5751962" "5793974" "5809265" "5812779" "5821937" "5831610" "5831618" "5838907" "5889520" "5910803" "5933601" "5958012" "5966128" "6009466" "6018769" "6020889" "6118762" "6144641" "RE36444").PN. OR ("6396810").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/20 16:48
S14 2	3	circuit\$4 near10 path\$1 near10 GUI and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:05
S14 3	3	customer near10 record\$4 near10 GUI and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:07
S14 4	4	customer\$1 near10 record\$4 near10 GUI and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:09
S14 5	20	customer\$1 near10 record\$4 near10 user near5 interfac\$4 and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:10
S14 6	9	customer\$1 near10 path\$4 near10 user near5 interfac\$4 and @ad<"20000331"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/20 17:11